

Conduit Nipples

Galvanized Steel



Features

- NPT thread
- High corrosion resistance

Applications

- Use to extend a length of threaded Rigid or IMC conduit

Standard Material

- Galvanized steel



E468594

1/2"-4" meet UL 6 and ANSI C80.1
Federal Specification WW-C-563

Size	Length Inches	Ship Case	Weight/100
1/2"	CLOSE	25	6
1/2"	1-1/2	25	8
1/2"	2	25	12
1/2"	2-1/2	25	15
1/2"	3	25	26
1/2"	3-1/2	25	6
1/2"	4	25	26
1/2"	5	25	33
1/2"	6	25	40
1/2"	8	1	54
1/2"	10	1	68
1/2"	12	1	82
3/4"	CLOSE	25	9
3/4"	1-1/2	25	10
3/4"	2	25	14
3/4"	2-1/2	25	19
3/4"	3	25	26
3/4"	3-1/2	25	28
3/4"	4	25	34
3/4"	5	25	43
3/4"	6	25	52
3/4"	8	1	73
3/4"	10	1	89
3/4"	12	1	109
1"	CLOSE	25	16
1"	2	25	22
1"	2-1/2	25	28
1"	3	25	26
1"	3-1/2	25	43
1"	4	25	49
1"	5	25	64
1"	6	25	20
1"	8	1	1
1"	10	1	1
1"	12	1	2

ELBOWS, COUPLINGS AND NIPPLES

Conduit Nipples

Galvanized Steel

(continued)



Size	Length Inches	Ship Case	Weight/ 100
1-1/4"	CLOSE	25	22
1-1/4"	2	25	28
1-1/4"	2-1/2	25	37
1-1/4"	3	25	25
1-1/4"	3-1/2	25	55
1-1/4"	4	25	66
1-1/4"	5	25	84
1-1/4"	6	25	25
1-1/4"	8	1	1
1-1/4"	10	1	2
1-1/4"	12	1	2
1-1/2"	CLOSE	25	28
1-1/2"	2	25	34
1-1/2"	2-1/2	25	44
1-1/2"	3	25	25
1-1/2"	3-1/2	25	68
1-1/2"	4	25	80
1-1/2"	5	25	103
1-1/2"	6	25	31
1-1/2"	8	1	2
1-1/2"	10	1	2
1-1/2"	12	1	3
2"	CLOSE	25	44
2"	2-1/2	25	15
2"	3	25	25
2"	3-1/2	40	88
2"	4	40	103
2"	5	40	132
2"	6	30	25
2"	8	1	2
2"	10	1	3
2"	12	1	3

Size	Length Inches	Ship Case	Weight/ 100
2-1/2"	CLOSE	1	84
2-1/2"	3	1	1
2-1/2"	3-1/2	1	12
2-1/2"	4	1	150
2-1/2"	5	1	197
2-1/2"	6	1	3
2-1/2"	8	1	3
2-1/2"	10	1	4
2-1/2"	12	1	5
3"	CLOSE	1	1
3"	3	1	1
3"	3-1/2	1	2
3"	4	1	2
3"	5	1	3
3"	6	1	3
3"	8	1	4
3"	10	1	5
3"	12	1	6
3-1/2"	CLOSE	1	2
3-1/2"	4	1	2
3-1/2"	5	1	3
3-1/2"	6	1	4
3-1/2"	8	1	5
3-1/2"	10	1	7
3-1/2"	12	1	8
4"	CLOSE	1	2
4"	4	1	3
4"	5	1	4
4"	6	1	4
4"	8	1	6
4"	10	1	8
4"	12	1	9